

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Confirmation No.: TBA

Degertekin, et al.

Group Art Unit: TBA

Serial No.: 10/756,915

Examiner: TBA

Filed: January 13, 2004

Docket No.: 62020-1530

For: INTEGRATED MICRO FUEL PROCESSOR AND FLOW DELIVERY INFRASTRUCTURE

### INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:	

M

PTO 1449 and is enclosed herewith.

This information disclosure statement is filed in accordance with 37 C.F.R. §§ 1.56, 1.97, and 1.98, and specifically:

1 1110 1111		
$\boxtimes$	(within Thr	CFR 1.97(b), or see months of filing national application; or date of entry of international application; or before se of first office action on the merits; whichever occurs last)
	under 37	CFR 1.97(c) together with either a: Statement Under 37 C.F.R. 1.97(e), or a \$180.00 fee under 37 CFR 1.17(p), or (After the CFR 1.97(b) time period, but before the final office action or notice of allowance, whichever occurs first)
	under 37	7 CFR 1.97(d) together with a: Statement under 37 CFR 1.97(e), and a \$180.00 petition fee set forth in 37 CFR 1.17(p). (Filed after final office action or notice of allowance, whichever occurs first, but before payment of the issue fee)
Enclose	ed is a che	ck in the amount of \$
Enclose	ed is Credi	t Card Payment Form (PTO-2038) in the amount of \$
fees rec	charge \$ quired to I yment to D	to deposit account . At any time during the pendency of this application, please charge any Deposit Account 20-0778 pursuant to 37 CFR 1.25. The Commissioner is hereby requested to credit any Deposit Account No. 20-0778.
(where	required)	mit herewith Form PTO 1449A - Information Disclosure Statement by Applicant together with copies of patents, publications or other information of which applicant(s) are aware, which applicant(s) believe(s) be material to the examination of this application and for which there may be a duty to disclose in 37 CFR 1.56. As required by 37 C.F.R. §1.98(a), a legible copy of each document is provided.
other f	oreign lan	ation of the relevance of foreign language patents, foreign language publications and guage information listed on PTO Form 1449, as presently understood by the individual(s) designated in 37 st knowledgeable about the content is given on the attached sheet, or where a foreign language patent is report or other action by a foreign patent office in a counterpart foreign application, an English language

version of the search report or action which indicates the degree of relevance found by the foreign office is listed on the form

The following rights are reserved by the Applicant(s): the right to establish the patentability of the claimed invention over any of the listed documents should they be applied as reference, and/or the right to prove that some of these documents may not be prior art, and/or the right to prove that some of these documents may not be enabling for the teachings they purport to offer.

This statement should not be construed as a representation that an exhaustive search has been made, or that information more material to the examination of the present application does not exist. Any statements or identifications regarding the relevance of any portion(s) of cited references should not be construed as a representation that the most relevant portion(s) have been identified, and the absence of such statements or identifications should not be construed as representations that there are no relevant portion(s). The Examiner is specifically requested not to rely solely on the materials submitted herewith. The Examiner is requested to conduct an independent and thorough review of the documents, and to form independent opinions as to their significance.

It is requested that the information disclosed herein be made of record in this application and that the Examiner initial and return a copy of the enclosed PTO-1449 to indicate the documents have been considered.

Respectfully Submitted,

THOMAS, KAYDEN, HORSTEMEYER

& RISLEY, L.L.P.

By:

Christopher B. Linder, Reg. No. 47,751

100 Galleria Parkway, Suite 1750 Atlanta, Georgia 30339-5948 770-933-9500

#### **CERTIFIED MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as "First Class Mail," in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on February 12, 2004.

Signature/Jo Bryan

Form PTO-1449 FORM PTO-1449

## INFORMATION DISCLOSURE CITATION

Attorney Docket No. Serial No. 62020-1530 10/756,915

Applicant

Degertekin, et al.

(Use several sheets if necessary)	Filing

Filing Date Group
1/13/04 TBA

				1/13/04		TBA	<u> </u>	
			U.S. PA	TENT DOCUMENTS				
Examiner Initials	Item	Document Number	Date	Name	Class	Subclass	Filing If Appro	
	A	6,228,147	5/8/01	Takahashi	95	55	3/13/	/98
	В	6,474,786	11/5/02	Percin, et al.	347	54	2/22/	/01
	С	6,541,676	4/1/03	Franz, et al.	585	250	12/2/	/99
			FOREIGN	PATENT DOCUMENTS				
		Document Number	Date	Country	Class	Subclass	Transla	ation
							Yes	No
	<u> </u>							<u> </u>
	<del></del>	OTHER DOCUN	IENTS (Includ	ding Author, Title, Date, Pertin	ent Pages, etc	:.)		
	D	Kikas, et al.; Hydrogen Pr Performance Enhancement	oduction in a Ret to Innovative I	everse-Flow Autothermal Catalytic Reactor Design; Ind. Eng. Chem. I	c Microreactor Res., Vol. 42, N	From Evide No. 25; pp. 62	nce of 273-6279	
	Е	Kikas, et al.; Hydrogen Production in the Reverse-Flow Autothermal Catalytic Microreactor; 7 <sup>th</sup> Int. Conference on Microreaction Technology; Switzerland, September 2003; pp 1-3					on	
	F	Kikas; et al.; Feedstock for Micro Fuel Cells: Efficient Hydrogen Production in the Reverse-Flow Autothermal Catalytic Microreactors with Fractal Structuring of the Catalytically Active Surface; Int. Synposium on Micro/Nano Scale Energy Conversion, Turkey, April, 2002; 3 pages						
	G	Meacham; et al.; A Micromachined Ultrasonic Droplet Generator Based on a Liquid Horn Structure; Review of Scientific Instruments (submitted on 09/25/03); pp 1-17						
	Н	Phillips, et al.; Catalyst Surface At a Fractal of Cost – A Quest for Optimal Catalyst Loading; Chemical Engineering Science, No. 58; 2003; pp 2403-2408					ring	
	I	I Presentation to Prospective Sponsors; October, 2003						
	J	3003				93-		

\* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

**EXAMINER'S SIGNATURE:** 

DATE CONSIDERED:

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Form PTO-14	149 FED 1 9 2004	Attorney Docket No. 62020-1530	Serial No. 10/756,915	
OINE	RMATION SCLOSURE CITATION	Applicant  Degertekin, et al.		
. 8 5001	(Use several sheets if necessary)	Filing Date 1/13/04	Group TBA	
	OTHER DOCUMENTS (Including Author, Title	e, Date, Pertinent Pages, etc.)		
TIPE	Shu, et al.; Catalytic Palladium-Based Membrane Reactors: Engineering, Vol. 69, October, 1991; pp 1036-1058	A Review; The Canadian Journa	al of Chemical	
1 9 2004	Edwards, et al.; On-Board Hydrogen Generation For Transp Journal of Power Sources, No. 71; 1998; pp. 123-128	oort Applications: the HotSpot <sup>TM</sup>	Methanol Processor;	
CE CO	Irving, et al.; Novel Catalytic Fuel Reforming with Advanced Hydrogen Program Review; NREL/CP-570-30535; 9 pages	d Membrane Technology; Procee	edings of the 2001 DOE	
RADBALL	Han, et al.; Purifier-Integrated Methanol Reformer for Fuel (223-227	Cell Vehicles; Journal of Power S	Sources, No. 86; 2000; pp	
I	Kothare, et al.; An Integrated Chemical Reforming Micropla Systems Laboratory, Lehigh University; Presentation from N		tegrated Microchemical	
	Quiram, et al.; Design Issues for Membrane-Based, Gas Phan No. 55; 2000, pp 3065-3075	se Microchmical Systems; Chem	ical Engineering Sciences	
F	R Hsing, et al.; Simulation of Micromachined Chemical Reactors for Heterogeneous Partial Oxidation Reactions; Chemical Engineering Science, No. 55; 2000; pp 3-13			
	Tonkovich, et al.; Microchannel Reactors for Fuel Processing Engineering Science, No. 54; 1999; pp. 2947-2951	g Applications. I. Water Gas Shir	ft Reactor; Chemical	
]	Fitzgerald, et al.; A Compact Steam Reforming Reactor For Fourth International Conference on Microreaction Technology			
J	Tonkovich; et al.; The Catalytic Partial Oxidation of Methan Second International Conference of Microreaction Technology			
	Srinivasan, et al.; Chemical Performance and High Tempera Reactors; Transducers '97; 1997 International Conference or 1997; pp163-166			
V	W Hsing, et al.; Simulation of Micromachined Chemical Reactors For Heterogeneous Partial Oxidation Reaction Chemical Engineering Science, No. 55; 2000; pp 3-13			
>	Blanks, et al.; Bidirectional Adiabatic Synthesis Gas General pp 2407-2413	ntor; Chemical Engineering Scien	nce, Vol. 45, No. 8; 1990;	
)	Ajmera, et al.; A Novel Cross-Flow Microreactor for Kinetic International Microreactor Engineering and Technology Cor		Presented at the 5th	
	Initial if citation considered, whether or not citation is in conformance not considered. Include copy of this form with next communication to		ugh citation if not in	
EXAMINER'S	SIGNATURE: DA	TE CONSIDERED:		

Form PTO-1449

# INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Attorney Docket No. Serial No. 62020-1530 10/756,915

**Applicant** 

Degertekin, et al.

Filing Date Group

	_		1/13/04	TBA	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
	Z	Ben-Tullilah, et al.; Flow-Rate Effects in Flow-Reversal Reactors; Experiments, Simulations and Approximations; Chemical Engineering Science, Vol. 58; 2003; pp 1135-1146			
	AA	Yurii Sh. Matros; Forced Unsteady-State Processes in Heterogeneous Catalytic Reactors; The Canadian Journal of Chemical Engineering, Vol. 74; October, 1996; pp 566-579			
	BB Arana, et al.; A Microfabricated Suspended-Tube Chemical Reactor for Thermally-Efficient Fuel Processing, REC. 07/09/2002; JMEMS, 0900; pp 1-31				
	CC	Success in R&D of Optimal, Small-Scale, High-Performance Fuel Cells for Portable Devices; March 13, 2002; <a href="http://www.casio.com/corporate/pressroom.cfm?act=2&amp;pr=553">http://www.casio.com/corporate/pressroom.cfm?act=2≺=553</a>			
	DD Meacham, et al.; A Micromachined Ultrasonic Droplet Generator Based on a Liquid Horn Structure; Review of Scientific Instruments (Accepted); Submitted in Oct., 2003; pp 1-17				
	EE	Yuan, et al.; MEMS-Based Piezoelectric Array Microjet; Microelec	tronic Engineering, No.;	66; 2003; pp 767-772	
	FF	Brenn, et al.; Drop Formation From a Vibrating Orifice Generator Driven by Modulated Electrical Signals; Phys. Fluids, No. 9 (12); December, 1997; pp 3658-3669			
	GG	Paul Calvert; Inkjet Printing for Materials and Devices; Chem. Mater., Vol. 13; 2001; pp 3299-3305			
	HH Calvert, et al.; Chemical Solid Free-Form Fabrication: Making Shapes Without Molds; Chm. Mater., Vol. 9; 1997; 650-663				
	II Chen, et al.; A New Method For Significantly Reducing Drop Radius Without Reducing Nozzle Radius in Drop-O Demand Drop Production; Physics of Fluids, Vol. 14, No. 1; January, 2002; pp L1-L4				
	JJ	Heij, et al.; Characterisation of a fL Droplet Generator For Inhalatic 2000; pp 430-434	on Drug Therapy, Sensor	s and Actuators, Vol. 85;	
1	KK	Elrod, et al.; Nozzleless Droplet Formation With Focused Acoustic 3441-3447	Beams; J. Appl. Phys. Vo	ol. 65 (I); May 1, 1989; pp	
	LL	Percin, et al.; Micromachined Droplet Ejector Arrays; Review of Sci 2002; pp 4385-4389	entific Instruments, Vol.	73, No. 12; December,	
N	MM Percin, et al.; Piezoelectrically Actuated Flextensional Micromachined Ultrasound Droplet Ejectors; IEEE Translation Ultrasonics, Ferroelectrics, and Frequency Control, Vol. 49, No. 6; June, 2002; pp 756-766			jectors; IEEE Translations	
+ 1317 (3) (1) 1101			<del></del>		

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

**EXAMINER'S SIGNATURE:** 

DATE CONSIDERED:

	(FEB	1 9 2004	15 601.34
Form PTO-144	<u>,                                    </u>		F
INDOD	(A)	ر بهدره فتار	

**EXAMINER'S SIGNATURE:** 

INFORMA	TION DISC	LOSURE (	TITATION

Attorney Docket No. Serial No. 62020-1530 10/756,915 **Applicant** Degertekin, et al.

(Use several sheets if necessary)

conformance and not considered. Include copy of this form with next communication to the applicant.

		(Use several sheets if necessary)	Filing Date 1/13/04	Group TBA			
		OTHER DOCUMENTS (Including Author, Title, D	ate, Pertinent Pages, etc.)				
	NN	Percin, et al.; Piezoelectric Droplet Ejector For Ink-Jet Printing of Fluids and Solid Particles; Review of Scientific Instruments, Vol. 74, No. 2; February, 2003; pp 1120-1127					
	00	Ridley, et al.; All-Inorganic Field Effect Transistors Fabricated By Printing; SCIENCE, Vol. 286; October 22, 1999; pp 746-749					
	PP	Tsai, et al.; The Role of Capillary Waves in Two-Fluid Atomizat 2909-2918	ion; Physc. Fluids, Vol. 9, (10);	October, 1997; pp			
	QQ	Hue P. Le; Progress and Trends in Ink-Jet Printing Technology; No. 1; January/February 1998; pp 49-62	Journal of Imaging Science and	Technology, Vol. 42,			
	<u> </u>						
	<u> </u>						
	İ						
·	ļ						
* EXAMI	NER: In	itial if citation considered, whether or not citation is in conformance with	n MPEP § 609. Draw line through	citation if not in			

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

DATE CONSIDERED: